

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alpine GEAR OIL TDL 80W90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: MITAN Mineralöl GmbH

Street: Industriestraße 8

Place: D-49577 Ankum

Telephone: +49 (0)5462/7470-50

Telefax: +49 (0)5462/7470-33

e-mail: info@mitan-oil.de

e-mail (Contact person): sicherheitsdatenblatt@mitan-oil.de

Internet: www.mitan-oil.de

1.4. Emergency telephone

Giftinformationszentrum Nord (Göttingen)

number:

+49 (0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Respiratory or skin sensitisation: Skin Sens. 1A

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful if inhaled.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)

Amine, C10-14-tert-Alkyl

Signal word: Warning

Pictograms:



Hazard statements

H332

Harmful if inhaled.

H315

Causes skin irritation.

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 2 of 10

- H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1213789-63-9	C16-18- (geradzahlige, gesättigte und ungesättigte)			0 - < 0,1 %
	627-034-4			
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H335 H373 H304 H400 H410			
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)			0 - <= 0,5 %
	931-384-6		01-2119493620-38	
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H302 H318 H317 H411			
	Amine, C10-14-tert-Alkyl			0 - <= 0,1 %
	701-175-2			
	Acute Tox. 1, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H302 H314 H318 H317 H400 H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.
Get medical advice/attention if you feel unwell.

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 3 of 10

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.
After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.
In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated:
Carbon monoxide Carbon dioxide (CO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 4 of 10

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phophore, propylene oxide and amine, C 12-14 -alkyl (branched)			
Worker DNEL, long-term		inhalation	systemic	8,56 mg/m³
Worker DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	6,25 mg/kg bw/day
Consumer DNEL, acute		dermal	local	0,024 mg/cm²
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment	Value	
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)	
Freshwater	0,001 mg/l	
Freshwater (intermittent releases)	0,085 mg/l	
Marine water	0,0001 mg/l	
Freshwater sediment	14,4 mg/kg	
Marine sediment	1,44 mg/kg	
Micro-organisms in sewage treatment plants (STP)	24,33 mg/l	
Soil	10 mg/kg	

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 5 of 10

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	not determined
pH-Value:	not determined

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Pour point:	-30 °C
Flash point:	204 °C

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits:	not determined
Upper explosion limits:	not determined

Auto-ignition temperature

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 6 of 10

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 15,6 °C): 0,89 g/cm³

Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic:
(at 40 °C) 167,5 mm²/s

Vapour density: not determined

Evaporation rate: not determined

Solvent content: 0,0%

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Materials to avoid

Acids

Reducing agent.

Oxidizing agent

10.6. Hazardous decomposition products

Carbon monoxide

Carbon dioxide

Nitrogen oxides (NO_x)**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Harmful if inhaled.

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 7 of 10

ATEmix calculated

ATE (inhalation aerosol) 5,000 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1213789-63-9	C16-18- (geradzahlige, gesättigte und ungesättigte)				
	oral	ATE 500 mg/kg			
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)				
	oral	LD50 2000 mg/kg	Rat	OECD 401	
	Amine, C10-14-tert-Alkyl				
	oral	ATE 500 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 0,05 mg/l			
	inhalation aerosol	ATE 0,005 mg/l			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched); Amine, C10-14-tert-Alkyl)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Further information

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)					
	Acute fish toxicity	LC50	8,5 mg/l	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier
	Acute algae toxicity	ErC50	6,4 mg/l	96 h	Pseudokirchneriella subcapitata	ECHA Dossier

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)			
	ASTM D-5864-95	3,6%	28	
	ECHA Dossier			

12.3. Bioaccumulative potential

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 9 of 10

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

To follow: 850/2004/EC, 1107/2009/EC, 649/2012/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,13,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

Safety Data Sheet

MITAN Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine GEAR OIL TDL 80W90

Revision date: 22.06.2020

Product code: MIT0033

Page 10 of 10

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H332	Calculation method
Skin Sens. 1A; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)